UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,370,325 B1 APPLICATION NO.: 09/251998 DATED : May 6, 2008

Page 1 of 2

INVENTOR(S) : Hull et al.

> It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the specification, column 14, line 51, that portion of the formula reading "UNITVAL($\{\}$))=UNITVAL(\perp))" should read --UNITVAL($\{\}$)=UNITVAL(\perp)= \perp --: line 53, please eliminate "=1" before "UNITVAL"; line 64 and line 65, that portion of the formula reading " proja, " should read -- proja, --.

Column 15, line 5, that portion of the formula reading "geteli." should read --getelt --: line 56, please eliminate "," after "COLLECT(" and before "[a2, ..., an]"; line 67, append -- CPL -- after "in the".

Column 16, lines 34-35, that portion of the formula reading "S; {t₁}" should read $--S_1:\{t_1\}--$.

Column 17, line 33, after "for" replace "trans" with --enum--.

Column 18, line 24, the left hand side portion of the formula should read --I*(dot(e1 e2))--; line 24, please insert the line break after "I*e2))" and before "if (k<n):"; lines 27-29, that portion of the formula reading "s⊥a: b_{k+1}" should read

--s_a: b_{k+1} --, insert the line break after "s_a: $b_n > 1$ " and before "if (k>n):"; line 32, append --: -- after "(k=n)".

Column 19, line 13, that portion of the formula reading "else map(rev sane pos)" should read --else map(rev_same_pos)--; lines 21 and 23, that portion of the formula reading " $\sigma \vdash \{(hash:t'; val:t)\}$ " should read $-\sigma \vdash S\{(hash:t'; val:t)\}$ --: line 22, that portion of the formula reading "vals {t'}" should read --vals: {t'}; line 27, after "where" and before "is" replace "t" with --t'--; line 48, that portion of the formula reading "if x, f_a.hash=x.s_a" should read --if x.f_a.hash=x.s_a--.

Column 22, line 44, before "," replace "valve" with --value--; line 47, that portion of the formula reading "Calculate cust Value cp" should read -- Calculate cust Value cp--.

Column 23, line 14, after "910 is" and before "in FIG. 20" replace "show" with --shown--.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,370,325 B1 APPLICATION NO.: 09/251998 DATED

Page 2 of 2

: May 6, 2008 INVENTOR(S) : Hull et al.

> It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 24, line 41, that portion of the formula reading "if (x,val>v,val)" should read --if(x.val>v.val)--.

Column 29, line 48, before ")" replace "s<s" with --s<s'--.

Column 32, line 51, after "(c)" and before "maps" replace "a" with --α--.

Column 40, lines 6 and 9, after "(" and before ")" replace "BA" with --B,A--.

Column 42, lines 19 and 22, after "the" and before "routine" replace "propagate S_N" with --propagate S N--.

Column 45, line 25, after "that" and before "maps" replace "C" with -- o-: line 39, after "_{" and before "|A∈Att}" replace "σ(A)" with --τ(A)--, line 56, after "s" and before "the state of r in s" replace ">" with -->-; line 56, after "where" and before "is" replace ">" with --≥--.

Column 47, line 24, after "H8," and before "and" replace "17" with -- I7 --; line 24, after "and" and before "indicate" replace "19" with -- I9 --; line 33, after "and" replace "18" with -- 18---

In claim 13, column 52, line 25, before "comprises:" replace "her" with --further--.

Signed and Sealed this

Second Day of December, 2008

JON W. DUDAS Director of the United States Patent and Trademark Office